Thank you for sharing your results on the roughness database

Our hope is that access to surface profiles, surface statistics and flow measurements will aid in the development of predictive correlations for drag over rough surfaces. Please follow the directions listed below for adding results and naming folders/files to create a consistent format for the database.

Step 0: Request access to the database and download the useful files.

If not already done, please go to <u>http://www.roughnessdatabase.org</u> and request access to the database.

Once access to the database has been granted you are able to download the useful files found on the database front page as shown in Figure 1.

Southampton s	ihare Point	🔎 Search this site					
Rd Roughnes	ss database ^{IS_Public}						
Home	$+$ New \vee 🖾 Discard changes 🛞 Page details						
Database Useful files Recycle bin Edit	Roughness database						
	Useful files see						
	+ New ∨ ↑ Upload ∨ Ø Quick edit 🖓 Sync 🕮 Export to Excel 🗦 All Documents ∨ ①						
	🗋 Name 🗸	Modified \vee Modified By \vee	Sign-off status 🗠				
	Create entry	June 23 Nilsson A.M.					
	Flow_documentation.xlsx	May 22 Nilsson A.M.					
	ProcessSurfaceStatistics.zip	June 23 Nilsson A.M.					
	Roughness-database-readme.pdf	June 19 Nilsson A.M.					



The Useful files include:

- ProcessSurfaceStatistics.zip
- A "Non-MATLAB user folder" containing
 - Roughness.database-readme-non-MATLAB.pdf
 - Questionnaire.csv
- A "Create entry" folder
- Flow_documentation.xlsx
- Roughness-database-readme.pdf

(Not applicable for non-MATLAB users)

(A copy of this PDF) (See step 1)

(See step 2) (See step 5) (A copy of the general README PDF)

Step 1: Go to the "Useful files/Non-MATLAB users" folder and download Questionnaire.csv.

Download and open *Questionnaire.csv* in Excel or a text editor and edit the file to suit the surface you are going to upload to the database.

Please use the following convention (an example is shown in Figure 2):

1) Roughness type: Hom (homogeneous) or Het (heterogeneous) roughness

2) Arrangement: **Reg** (regular) or **Irreg** (irregular) arrangement (random or realistic surfaces would come under Irregular – even if the tiles have a regular arrangement)

- 3) Flow type: TBL (turbulent boundary layers) or Pipe or Channel
- 4) Data source: Exp (experiments) or Sim (simulations)
- 5) Descriptor (one- or two-word descriptor for the surface)
- 6) Author last name (This should be name of the author who is depositing the dataset)
- 7) Year (This should be year of paper that was published or year when the dataset is deposited)

4	A	В	с	D	E	F	G	н	
1	Roughness type	Arrangement	Flow type	Data source	Descriptor	Author	Year		
2	Hom	Irreg	TBL	Exp	Scratched Epoxy	Schultz	2007		
3									
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?									
🕞 🗁 🖶 🐚 🕞 🖕 🕹 🐘 🛅 🗩 C 🛛 🏘 🆕 🔍 🔍 🖳 💁 🗊 💭 🖾 👁									
E Questionnaire.csv 🗵									
Roughness type, Arrangement, Flow type, Data source, Descriptor, Author, Year									
2 Hom, Irreg, TBL, Exp, Scratched Epoxy, Schultz, 2007									
	3								

Figure 2 - Editing the .csv file. Top: Microsoft Excel. Bottom: Notepad++ (text editor)

Step 2: Go to the database and create a database entry for each new rough surface that you may have. If your study considered multiple surfaces, then please create a new entry for each surface. This will allow end users to gain information for each surface easily and make the repository searchable and accessible easily.

A new entry is created by navigating to the *Useful files/Create entry* folder from the database front page.

Drag drop *Questionnaire.csv* into the *Create entry* folder as shown in figure 3 and 4. Alternatively, you can click the "Upload \rightarrow Files" button and navigate to the .csv file you want to upload.

Note that you can create several entries at the same time by dropping several files. For each entry, please create a copy of the Questionnaire.csv file and edit it to suit the surface. The filename is not important if the order and format in the .csv file is maintained.

An automatic Sharepoint script running in the background will now create and tag your database entry. When the script finishes running, the .csv files dropped into the *Create entry* folder are automatically deleted and an email is sent to you saying the entries have been created.



Figure 3 - Drag-drop Questionnaire.csv into Create entry





Navigate to the *Database* where you will find your newly created entry following the general convention:

Roughness-type_Arrangement_Flow-type_Data-type_Descriptor_Author_Year

Following the example in figure 5,

Example: Hom_Irreg_TBL_Exp_Scratched Epoxy-Schultz_2007

Southampton	SharePoint	✓ Search this library							
Rd Roughness database Private group UOS_Public									
Home	+ New $$	Power Apps \vee 🔗	Automate \vee						
Database	Database								
Useful files	Darapase								
Shared with us	\square Name \lor	Roughness type \vee	Arrangement \smallsetminus	Flow type \smallsetminus	Data source \smallsetminus	Authors \searrow	Year \smallsetminus		
Recycle bin	Het_Reg_Channel_Sim_Scratched Epoxy_Ganapathisubramani	Heterogeneous	Regular	Channel flow	Simulations	Ganapathisubramani	2,011		
Edit	Het_Reg_TBL_Exp_Spanwise-topography_Medjnoun_2020	Heterogeneous	Regular	Turbulent boundary layers	Experiments	Medjnoun	2,020		
	Hom_Irreg_Channel_Sim_Grit-blasted_Thakkar_2016	Homogeneous	Irregular	Channel flow	Simulations	Thakkar	2,016		
	Hom_Irreg_TBL_Exp_Scratched Epoxy_Flack_2007	Homogeneous	Irregular	Turbulent boundary layers	Experiments	Flack	2,007		
	Hom_Irreg_TBL_Exp_Scratched Epoxy_Schultz_2007	Homogeneous	Irregular	Turbulent boundary layers	Experiments	Schultz	2,007		
	Hom_Reg_TBL_Exp_Sandgrain-plate_Nilsson_2020	Homogeneous	Regular	Turbulent boundary layers	Experiments	Nilsson	2,020		

Figure 5 - Database entry created by automatic background script

Navigating into the entry we find three entry folders: Flow Documentation, Papers and Surfaces – see figure 6. These are currently empty but will be populated with your contribution in the next step.

Rd Roughr	Rd Roughness database Private group LUOS, Public							★ Following R 1 member
Home	+ New 🗸 🕆 Uplaad 🗸 🖉 Quick edit. Le [®] Share. 🗢 Copy link. 🕃 Sync. 🛓 Download. 🍓 Export to Excel. 👄 Power Apps 🗸 🕅 Automate 🗸 🚍 All Documents 🗸							702
Database	Database > Hom Reg TBL Eve Sandarsin plate Nilson 2020							
Useful files		x0_1110001_E0E0						
Shared with us	🗅 Name 🗠	Roughness type \searrow	Arrangement \smallsetminus	Flow type \searrow	Data source \smallsetminus	Author \searrow	Year 🗸	\pm Add column \simeq
Recycle bin	Flow Documentation							
Edit	Papers							
	Surface							

Figure 6 - Database entry populated by *ProcessSurfaceStatistics*.m output

Step 3: Upload surface scans or surface statistics

Upload or drag and any surface scans or surface statistics into the database entry "Surfaces" folder.

Step 4: Create a References.txt file that has the references (All publications) that you want an end-user to cite if they use this dataset. It would be ideal to have the full reference including DOI.

Upload or drag and drop this text file into the database entry. Also upload any relevant journal papers (subject to copyright permissions), conference papers, theses or reports related to the roughness you may want to share into the *Papers* folder.

Step 5: Create a file with flow documentation and upload to the Flow Documentation folder

Upload a table of basic flow parameters. The table should contain as a minimum the information in the Excel template, *Flow_documentation.xlsx*, provided in the *Useful files* folder on the database homepage. Additional flow parameters can be included as needed based on your specific case.

Summary of Organization of Database Folders and Files



Contact

Do you have questions, improvement suggestions or need help to prepare or upload your contribution? Please do not hesitate to contact <u>M.Nilsson@soton.ac.uk</u> including [Roughness database] in the subject.